



Certificate of Analysis: Lyophilized Microorganism Specification and Performance Upon Release

Specifications

Microorganism Name: Pseudomonas aeruginosa
Catalog Number: 0484
Lot Number: 484-822
Reference Number: ATCC® 9027™*
Purity: Pure
Passage from Reference: 3

Expiration Date: 2019/3/31

Release Information:

Quality Control Technologist: Christine Condon

Release Date: 2017/5/8

Performance

Macroscopic Features:

Large, flat, circular to irregular shaped, gray with silver sheen. A second colony type may also be present as small, round, shiny colonies.

Medium:

SBAP

Microscopic Features:

Straight or slightly curved gram negative rod.

Method:

Gram Stain (1)

ID System: MALDI-TOF

See attached ID System results document.

Other Features/ Challenges: Results

(1) Oxidase (Kovacs): positive

(1) Motility B Medium: positive

Pseudomonas P Agar: positive (blue-green color diffusing into the agar)

Growth at 42 C: positive

Amanda Kuperus

Quality Control Manager

AUTHORIZED SIGNATURE

Disclaimer: The last digit(s) of the lot number appearing on the product label and packing slip are merely a packaging event number. The lot number displayed on this certificate is the actual base lot number.

Note for Vitek®: Although the Vitek® panel uses many conventional tests, the unique environment of the card, combined with the short incubation period, may produce results that differ from published results obtained by other methods.

⚠ Refer to the enclosed product insert for instructions, intended use and hazard/safety information.

Individual products are traceable to a recognized culture collection.



(*) The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Microbiologics, Inc. is licensed to use these trademarks and to sell products derived from ATCC® cultures.



(1) These tests are accredited to ISO/IEC 17025:2005.

TESTING CERT #2655.01

Bruker Daltonik MALDI Biotyper Classification Results



Meaning of Score Values

Range	Interpretation	Symbols	Color
2.00 - 3.00	High-confidence identification	(+++)	green
1.70 - 1.99	Low-confidence identification	(+)	yellow
0.00 - 1.69	No Organism Identification Possible	(-)	red

Meaning of Consistency Categories (A - C)

Category	Interpretation
(A)	High consistency: The best match is a high-confidence identification. The second-best match is (1) a high-confidence identification in which the species is identical to the best match, (2) a low-confidence identification in which the species or genus is identical to the best match, or (3) a non-identification.
(B)	Low consistency: The requirements for high consistency are not met. The best match is a high- or low-confidence identification. The second-best match is (1) a high- or low-confidence identification in which the genus is identical to the best match or (2) a non-identification.
(C)	No consistency: The requirements for high or low consistency are not met.

Sample Name: Pseudomonas aeruginosa
 Sample Description: 0484
 Sample ID: 484-822
 Sample Creation Date/Time: 2017-05-03T14:37:20.508 CC
 Applied MSP Library(ies): BDAL, Mycobacteria Library (bead method), Filamentous Fungi Library 1.0, Listeria

Sample Name	Sample ID	Organism (best match)	Score Value
A6 (+++)(A)	484-822	Pseudomonas aeruginosa	2.43

Comments:

N/A