



Certificate of Analysis: Lyophilized Microorganism Specification and Performance Upon Release

Specifications

Microorganism Name: *Aspergillus brasiliensis*

Catalog Number: 0392

Lot Number: 392-790**

Reference Number: ATCC® 16404™*

Purity: Pure

Passage from Reference: 3

Expiration Date: 2019/12/31

Release Information:

Quality Control Technologist: Kieshia L Negen

Release Date: 2018/2/15

Performance

Macroscopic Features:

Rapidly growing colonies which are initially white or pale yellow, quickly become black with conidia (spore) production. Reverse is pale yellow.

Medium:

PDA

Microscopic Features:

Chains of small conidia which arise from short sterigmata arranged radially over the surface of the vesicle

Method:

Lactophenol Blue (1)

ID System: MALDI-TOF (1)

See attached ID System results document.

Amanda Kuperus

Quality Control Manager

AUTHORIZED SIGNATURE

****Disclaimer:** The last digit(s) of the lot number appearing on the product label and packing slip are merely a packaging event number. The lot number displayed on this certificate is the actual base lot number.

Note for Vitek®: Although the Vitek® panel uses many conventional tests, the unique environment of the card, combined with the short incubation period, may produce results that differ from published results obtained by other methods.

⚠ Refer to the enclosed product insert for instructions, intended use and hazard/safety information.

Individual products are traceable to a recognized culture collection.



(*) The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Microbiologics, Inc. is licensed to use these trademarks and to sell products derived from ATCC® cultures.

(1) These tests are accredited to ISO/IEC 17025:2005.



Bruker Daltonik MALDI Biotyper Classification Results



Meaning of Score Values

Range	Interpretation	Symbols	Color
2.00 - 3.00	High-confidence identification	(+++)	green
1.70 - 1.99	Low-confidence identification	(+)	yellow
0.00 - 1.69	No Organism Identification Possible	(-)	red

Meaning of Consistency Categories (A - C)

Category	Interpretation
(A)	High consistency: The best match is a high-confidence identification. The second-best match is (1) a high-confidence identification in which the species is identical to the best match, (2) a low-confidence identification in which the species or genus is identical to the best match, or (3) a non-identification.
(B)	Low consistency: The requirements for high consistency are not met. The best match is a high- or low-confidence identification. The second-best match is (1) a high- or low-confidence identification in which the genus is identical to the best match or (2) a non-identification.
(C)	No consistency: The requirements for high or low consistency are not met.

Sample Name: Aspergillus brasiliensis
 Sample Description: 0392
 Sample ID: 392-790
 Sample Creation Date/Time: 2018-02-14T10:12:25.174 TB
 Applied MSP Library(ies): BDAL, Mycobacteria Library (bead method), Filamentous Fungi Library 1.0, Listeria

Sample Name	Sample ID	Organism (best match)	Score Value
E10 (+++)(A)	392-790	Aspergillus brasiliensis	2.03

Comments:

N/A